Red gingham tie-front puff-sleeve top

EU 38 . 7 pieces . 16 sheets, grid 4 across

default seam allowance 10 mm included; follow individual edge overrides. Cut the OUTER line.

Print at 100% / actual size. Turn OFF "fit to page" and "shrink oversized pages".

BEFORE YOU CUT - print page 3 first

Print at 100% / "Actual size" / "No scaling". Turn OFF "Fit to page", "Scale to fit" and "Shrink oversized pages" - that setting is on by default and it is the usual reason a pattern comes out the wrong size. Headers and footers off. Print PAGE 3 ONLY first and measure its square with a ruler, from the CENTRE of one line to the CENTRE of the opposite line. 100 mm, give or take 1 mm, means the print is true. If it is not, fix the setting and print again. Do not cut.

Pieces

ON UST - CUT 2X MIRRORED

ARKA UST - CUT 2X MIRRORED

SLEEVE - CUT 2X MIRRORED

CUFF - CUT 2X MIRRORED

FRONT TIE 1 - CUT 2X MIRRORED

FRONT TIE 2 - CUT 2X MIRRORED

FRONT TIE 3 - CUT 2X MIRRORED

Assembly of the paper

16 sheets, grid 4 across x 4 down, 1A at the top-left - see the map on page 2. This is an OVERLAP pattern, not a butt-joined one: every sheet repeats a 10 mm band of its LEFT and TOP neighbour. Trim the left and top dashed edge of each sheet (cut down the middle of the line), then lay it over the sheet already down so the inner dotted band is covered. The corner targets (a cross inside a 9 mm circle, printed on both sheets at the same point) must sit exactly on each other, cross on cross (hold the pair against the light), and the edge ticks must line up - if they do not, the sheets are misaligned or the print is scaled. Tape, then cut the pattern.

Derived, not seen

This design was generated from your text description. Unspecified construction details are design assumptions. The back was designed from your text description. Unspecified details are assumptions to review before cutting.

Tile map

16 sheets, 4 columns x 4 rows. 1A is top left.

Lay the sheets out on the floor in this arrangement. Every cell shown here IS in the PDF and must be printed - a grey cell is a sheet with no pattern on it, and it is printed anyway because it is the paper that keeps the grid square. Trim the dashed frame off the LEFT and TOP edge of every sheet, then overlap it onto the sheet to its left/above - when the corner targets (a cross in a circle) of both sheets sit exactly on each other, the sheets are aligned.

1A	1B	1C	1D
2A	2B	2C	2D
3A	3B	3C	3D
4A	4B	4C	4D

Which piece is on which sheet

arka_ust: 1A, 1B, 2A, 2B, 3A, 3B
on_ust: 1B, 1C, 1D, 2B, 2C, 2D
SLEEVE: 3A, 3B, 3C, 4A, 4B, 4C
FRONT TIE 1: 3C, 4C
FRONT TIE 2: 3C, 3D, 4C, 4D
FRONT TIE 3: 3D, 4D
CUFF: 4A, 4B

Calibration

Measure this square with a ruler before you cut anything. 100 mm on both sides means the print is true. A 3% printer error is 3 mm here - visible. Do not cut without measuring: if the square is not 100 mm the print is scaled and the pattern will come out in the wrong size.



10 cm = 100 mm, measure me before cutting

printer scale 100%, headers/footers off. If this square is not 100 mm, do not cut.



4 inch x 1 inch, ticks every inch

default seam allowance 10 mm INCLUDED; follow edge overrides


1A
ARKA UST
CUT 2X MIRRORED
EU 38
Seam Allowance 1 cm - 3/8 in
NECK BACK allowance 0 mm
ARKA ETEK UCU.B allowance 20 mm
#2 / 7


1B


1C
ON UST
CUT 2X MIRRORED
EU 38
Seam Allowance 1 cm - 3/8 in
NECK FRONT allowance 0 mm
ON ETEK UCU.B allowance 20 mm
CENTRE FRONT: extension 35 mm + cut-on facing 70 mm
#1 / 7


1D


2A


2B
FOLD - FACING


2C
CENTRE FRONT


2D


3A


3B
SLEEVE
CUT 2X MIRRORED
EU 38
Seam Allowance 1 cm - 3/8 in
#3 / 7


FRONT TIE 1
CUT 2X MIRRORED
EU 38
Seam Allowance 1 cm - 3/8 in
#5 / 7
FRONT TIE 2
CUT 2X MIRRORED
EU 38
Seam Allowance 1 cm - 3/8 in
#6 / 7
3C


FRONT TIE 2
CUT 2X MIRRORED
EU 38
Seam Allowance 1 cm - 3/8 in
#6 / 7
FRONT TIE 3
CUT 2X MIRRORED
EU 38
Seam Allowance 1 cm - 3/8 in
#7 / 7
3D


4A
CUFF
CUT 2X MIRRORED
EU 38
Seam Allowance 1 cm - 3/8
#4 / 7


4B
ED
- 3/8 in


FR
FR
4C


FR
FR
4D